



Features:

- Patented structural inner frame
- Stairs fixed to inner frame for extra strength (not the trap door)
- Renewably sourced, high quality, minimum knotted, tight grain yellow pine timber
- Insulated aluminium foil backed trap door
- High rated airtight seal (0.39M³/Hr @ 50 Pascal)
- Patented extra strong wrap around ladder hinges
- Concealed heavy duty trap door piano hinge
- Heavy duty trap door spring opening/closing mechanism (eliminating lock requirement or risk of injury from lock failures)











Stira - Original

Patented strength and design features Independently tested to EN14975 High grade SAPS timber 35 years of refinement 10 year guarantee

Stira - Heavy Duty

Designed for heavy traffic Handrails as standard Double sprung

Stira - Semi Automatic

Remote control Ease of use Extra high ceilings, up to 4m Ideal for Elderly



Over 35 years developing, manufacturing and delivering quality products and services that meet our customers needs

- Experienced consultative installers (minimum 17 years each)
- Bespoke and Standard folding attic stairs solutions
- Guaranteed for 10 years, built to last a lifetime
- Manufactured and independently tested to BS EN 14975
- Awarded the British Standards Kitemark
- Replacement parts available (units are serviceable)
- Units designed and manufactured in Dunmore, Co. Galway, Ireland

As Stira can provide access and egress solutions to meet the quality of your projects, You might want to Nominate Stira folding attic stairs as your product and supplier of choice.

You can use the following specification for our Standard Stira:

Stira folding attic timber stairs with insulated access hatch. High quality, min knotted, tight grain yellow pine timber sourced from renewable forests. Stairs affixed to a structural inner frame (not the trapdoor), Innerframe timbers 70 x 55mm & 70 x 32mm. Outer frame timbers 108 x 32mm. Independently tested and certified to load capacity 150kg (inhouse tested to 190kg), Strings: 74 x 27mm; Steps: 98mm deep; HD black steel arms; HD black steel finger hinges; HD wraparound ladder hinges fixed on 3 sides, HD piano hinge, Finish: Clean lacquer, hard wearing varnish; Low accident risk spring operated opening and closing mechanism. Airtight seal 0.39M3/Hr @ 50 Pascal. BSI Kitemark, proof of manufacture and testing to BS EN 14975 (which replaced BS 7553).

10 year guarantee. Stira folding attic stairs certified to ISO 9000:2016.

Other specifications available: Heavy Duty, Semi-Automatic (electric), Fire rated.

Commercial projects: Custom sizes to meet your floor to ceiling, hatch requirements. Housing developments: 560 - 762+mm x 1048 for 8' ceilings, or 560mm - 762+mm x 1175 for 8'6" to 9' ceilings.









To request other specifications, revit models, or a quotation, please contact:

Paddy Tamplin - Sales & Business Development Manager M: 087 6205615 E: paddy@stira.ie Stira HO: 093 38055 Stira, Folding Attic Stairs Ltd, Dunmore, Co. Galway